

Product Information

AVENO Heating Oil 10

0002-000275



Description

AVENO Heating Oil 10 is a heat transfer oil made with a mineral-oil basis, which is suitable for the industrial operation of closed heat transfer systems. Its high specific thermal conductivity combined with a high thermal stability, as well as a high resistance to oxidation, are just some of the many quality features that make this product an excellent heat transfer oil.

Instructions for use

AVENO Heating Oil 10 is especially suitable for use in closed heating systems. The oil should be prevented from coming into direct contact with the ambient air, as this would speed up the aging process. We recommend cleaning the entire heat transfer system before each new filling. A system that is not cleaned appropriately for maintenance will not achieve optimal efficiency.

| Quality classification |
|------------------------|
| Specification |

- Heat transfer oil Q 10 according to DIN 51502

| Properties | |
|---|---|
| <ul style="list-style-type: none">• High oxidation stability• Protection against corrosion | <ul style="list-style-type: none">• A very stable and excellent viscosity behavior• High specific thermal conductivity |

| Technical specifications | | | |
|------------------------------|--------------|-------|--------------------------|
| Properties | Data | Unit | Testing under |
| Kinematic Viscosity at 40°C | 10,0 | mm²/s | DIN 51659-2:2017-02 |
| Kinematic Viscosity at 100°C | 2,7 | mm²/s | DIN 51659-2:2017-02 |
| Viscosity Index | 108 | | DIN ISO 2909:2004-08 |
| Appearance | LIGHT YELLOW | | VISUELL |
| Density at 15°C | 831 | kg/m³ | DIN EN ISO 12185:1997-11 |
| Pour Point | -51 | °C | ASTM D 7346:2015 |